



Sideview Flat LED Neon Flex



Technical Parameters

| | | | | | | | | | | | |
|---------------------------|---------------------------|----------------|---------------|---------------|---------------|---------------|---------------|---------------|----------------|---------------|---------------|
| Voltage | DC24V | | | | | | | | | | |
| Product Size | 9x18mm | | | | | | | | | | |
| Material | PVC (white, color jacket) | | | | | | | | | | |
| LED /M | 120pcs 3528 SMD LED | | | | | | | | | | |
| CRI | Ra>80 | | | | | | | | | | |
| IP Rating | IP65 / IP68 optional | | | | | | | | | | |
| Bending Diameter | 9cm | | | | | | | | | | |
| Packing | 50meters /reel /carton | | | | | | | | | | |
| Carton Info. | 35x35x17cm; 16KG | | | | | | | | | | |
| Model No. | F10B-W | F10B-WW | F10B-R | F10B-Y | F10B-O | F10B-B | F10B-G | F10B-P | F10B-PP | F10B-T | F10B-L |
| Color | White | Warm White | Red | Yellow | Orange | Blue | Green | Pink | Purple | Turquoise | Lemon |
| CT/Wave Length | 6000-7500K | 2200-4500K | 620-630nm | 590-600nm | 605-615nm | 460-470nm | 515-525nm | 618-628nm | 445-455nm | 485-495nm | 570-580nm |
| | | | | | | | | | | | |
| Rated Power /M | 8W | 8W | 6W | 6W | 6W | 8W | 8W | 8W | 8W | 8W | 8W |
| Lumen /M | 180lm | 160lm | 100lm | 80lm | 95lm | 30lm | 150lm | 100lm | 30lm | 160lm | 180lm |
| Min Cutting Unit | 12 LEDs | 12 LEDs | 20 LEDs | 20 LEDs | 20 LEDs | 12 LEDs | 12 LEDs | 12 LEDs | 12 LEDs | 12 LEDs | 12 LEDs |
| Min Cutting Length | 10cm | 10cm | 16.7cm | 16.7cm | 16.7cm | 10cm | 10cm | 10cm | 10cm | 10cm | 10cm |
| Continuous Length | 5m | 5m | 7.5m | 7.5m | 7.5m | 5m | 5m | 5m | 5m | 5m | 5m |

| Optional F10B Accessories | | | |
|---------------------------|-----------|---|--|
| No. | Model. | Picture | Accessory |
| 1 | F10B-A001 |  | Clasp Front Connector Kit: 1x front connector 1x silicon gasket 1x anti-skidding clip 1x stainless clip |
| 2 | F10B-A002 |  | Clasp End Cap Kit: 1x end cap 1x silicon gasket 1x anti-skidding clip 1x stainless clip |
| 3 | F10B-A003 |  | Injection-moulded Front Connector Cable input side: right |
| 4 | F10B-A004 |  | Injection-moulded Front Connector Cable input side: direct |
| 5 | F10B-A005 |  | Injection-moulded Front Connector Cable input side: bottom |
| 6 | F10B-A006 |  | Injection-moulded End Cap |
| 7 | F10B-A007 |  | U-Shape Clasp Jumper: cable - 20cm 2x front connector 2x silicon gasket 2x anti-skidding clip 2x stainless clip |
| 8 | F10B-A008 |  | T-Shape Clasp Jumper: cable - 20cm 3x front connector 3x silicon gasket 3x anti-skidding clip 3x stainless clip |
| 9 | F10B-A009 |  | Aluminum Profile /1m |

| | | | |
|----|------------------|---|-----------------------------------|
| 10 | F10B-A010 |  | Self-Locking Aluminum Profile /1m |
| 11 | F10B-A011 |  | Aluminum Clip |
| 12 | F10B-A012 |  | Self-Locking Aluminum Clip |
| 13 | F10B-A013 |  | Seamless Middle Connector |
| 14 | F10B-A014 |  | Seamless Power T-Feed |
| 15 | F10B-A015 |  | Waterproof Glue |
| 16 | F10B-A016 |  | Insert Inducer |
| 17 | F10B-A017 |  | Cutter |