








## Topview LED Neon Flex Flat



### Technical Parameters

<b>Voltage</b>	DC24V										
<b>Product Size</b>	16x17mm										
<b>Material</b>	PVC (white, color jacket)										
<b>LED /M</b>	120pcs 2835 SMD LED										
<b>CRI</b>	Ra>80										
<b>IP Rating</b>	IP65 / IP68 optional										
<b>Bending Diameter</b>	12cm										
<b>Packing</b>	50meters /reel /carton										
<b>Carton Info.</b>	35x35x35cm; 24KG										
<b>Model No.</b>	<b>F22B-W</b>	<b>F22B-WW</b>	<b>F22B-R</b>	<b>F22B-Y</b>	<b>F22B-O</b>	<b>F22B-B</b>	<b>F22B-G</b>	<b>F22B-P</b>	<b>F22B-PP</b>	<b>F22B-T</b>	<b>F22B-L</b>
<b>Color</b>	White	Warm White	Red	Yellow	Orange	Blue	Green	Pink	Purple	Turquoise	Lemon
<b>CT/Wave Length</b>	6000-7500K	2200-4500K	620-630nm	590-600nm	605-615nm	460-470nm	515-525nm	618-628nm	445-455nm	485-495nm	570-580nm
<b>Rated Power /M</b>	12.8W	12.8W	10W	10W	10W	12.8W	12.8W	12.8W	12.8W	12.8W	12.8W
<b>Lumen /M</b>	480lm	460lm	190lm	140lm	180lm	50lm	380lm	180lm	50lm	160lm	370lm
<b>Min Cutting Unit</b>	12 LEDs	12 LEDs	20 LEDs	20 LEDs	20 LEDs	12 LEDs	12 LEDs	12 LEDs	12 LEDs	12 LEDs	12 LEDs
<b>Min Cutting Length</b>	10cm	10cm	16.7cm	16.7cm	16.7cm	10cm	10cm	10cm	10cm	10cm	10cm
<b>Continuous Length</b>	10m	10m	12m	12m	12m	10m	10m	10m	10m	10m	10m

Optional F22B Accessories			
No.	Model.	Picture	Accessory
1	F22B-A001		Clasp Front Connector Kit: 1x front connector 1x silicon gasket 1x anti-skidding clip 1x stainless clip
2	F22B-A002		Clasp End Cap Kit: 1x end cap 1x silicon gasket 1x anti-skidding clip 1x stainless clip
3	F22B-A003		Injection-moulded Front Connector Cable input side: right
4	F22B-A004		Injection-moulded Front Connector Cable input side: direct
5	F22B-A005		Injection-moulded Front Connector Cable input side: bottom
6	F22B-A006		Injection-moulded End Cap
7	F22B-A007		U-Shape Clasp Jumper: cable - 20cm 2x front connector 2x silicon gasket 2x anti-skidding clip 2x stainless clip
8	F22B-A008		T-Shape Clasp Jumper: cable - 20cm 3x front connector 3x silicon gasket 3x anti-skidding clip 3x stainless clip
9	F22B-A009		Self-Locking Aluminum Profile /1m

10	<b>F22B-A010</b>		Self-Locking Aluminum Clip
11	<b>F22B-A011</b>		Seamless Middle Connector
12	<b>F22B-A012</b>		Seamless Power T-Feed
13	<b>F22B-A013</b>		Waterproof Glue
14	<b>F22B-A014</b>		Insert Inducer
15	<b>F22B-A015</b>		Cutter